



# Maquet Moduevo Ceiling Supply Units

Accessories catalog



# Maquet Moduevo accessories

## – A wealth of options

With Maquet Moduevo Ceiling Supply Units, clinicians can spend less time accessing or moving equipment, so they have more time for patient care.

Maquet Moduevo has been designed with a singular purpose in mind: to enhance provider-patient interactions with safety, efficiency and long-term ownership considerations.

Maquet Moduevo does so with extraordinary simplicity, delivering effortless maneuverability in the Operating Room, Intensive Care Units, Emergency Departments, and other space-constrained clinical environments – with unprecedented ease in customization, and an uncomplicated approach to future-proof flexibility.

In addition, Maquet Moduevo Ceiling Supply Units save space, and improve safety by providing effective cable management.

They also ensure vital utilities and equipment are readily accessible, streamlining workflows and raising efficiency.

A broad choice of accessories further enhances their versatility.







# Maquet Moduevo accessories

– Content

## About this catalog

This catalog provides an overview of the Maquet Moduevo range of ceiling supply units. It is divided into **four categories** based on the products’ function: positioning, holding, illuminating and storing.

**Position** accessories include a range of handles with various brakes and positioning options. **Hold** items comprise shelves, drawers, monitor arms, rails, adaptors and infusion equipment (e.g. IV poles).

The **illuminate** category presents lighting options for diverse situations and needs. And **storage** accessories encompass cable management products such as boxes, plus holders and baskets.

Each of these four main categories is subdivided into sections dedicated to specific types of items, such as those listed above. These sections provide readers with more detailed information and technical specifications for individual accessories.

|                            |           |
|----------------------------|-----------|
| <b>To position</b>         | <b>6</b>  |
| Handles                    | 7         |
| <b>To hold</b>             | <b>9</b>  |
| Shelves                    | 10        |
| Cabinets/drawer units      | 13        |
| Flat screen monitor arms   | 15        |
| Rails                      | 18        |
| Infusion equipment         | 20        |
| Adaptors/docking systems   | 24        |
| <b>To illuminate</b>       | <b>27</b> |
| Ambient lighting           | 27        |
| <b>To store</b>            | <b>29</b> |
| Cable management solutions | 30        |
| Baskets/catheter holders   | 32        |
| Easy clamp holders         | 35        |

# To position

– Maquet Moduevo accessories

A key feature of Maquet Moduevo is their outstanding maneuverability. Staff can quickly and precisely position the ceiling supply units where they are needed.

To this end, there are a variety of handles and control devices available. For example, handles may be attached horizontally or vertically, and to various sides of the ceiling supply unit. Positioning can be done simply mechanically (by hand), or it can involve more advanced technology –

e.g. ceiling supply unit height can be adjusted via the push of a button, and brakes released just by grasping a capacitive sensing handle. Whatever the scenario, Getinge offers ergonomic solutions that are easy for staff to use, helping them respond rapidly to changing situations.



# Handles

Handles serve a simple yet vital purpose: they enable staff to position the ceiling supply unit easily and precisely. To this end, a variety of designs are available for Maquet Moduevo – including vertical and horizontal handles, located on the front or back of the unit in line with customers’ specific needs.

Maquet Moduevo handles can incorporate innovative Grab & Move Capacitive Sensing Technology: the user simply has to grasp the handle with one hand to release the brakes. The ceiling supply unit can then be moved to the desired position with minimal physical effort. In addition, handles are compatible with various Maquet Moduevo arms or beams – including the motorized, height-adjustable Energy and Cargolift.



## Horizontal control handle



## Vertical control handle



## Features

- Can be directly mounted on EPoS System
- Includes Grab & Move Capacitive Sensing Technology if brakes option has been selected
- Enables flexible positioning
- Rounded edges are easy to clean

| Technical information: horizontal control handle | Order number |
|--------------------------------------------------|--------------|
| With 1-axis or 2-axis brake control              | SU000600054  |

| Technical information: vertical control handle | Order number |
|------------------------------------------------|--------------|
| Without brake control                          | SU000600059  |
| With 1-axis or 2-axis brake control            | SU000600061  |

Horizontal control handle  
(for height adjustment)



Vertical control handle  
(for height adjustment)



Features

- Can be directly mounted on EPoS System
- Includes Grab & Move Capacitive Sensing Technology if brakes option has been selected to release brakes and maneuver ceiling supply unit
- Enables flexible positioning
- Rounded edges are easy to clean
- For use with Energy and Cargolift
- Ceiling supply unit height can be adjusted at the push of a button

| Technical information: horizontal control handle | Order number |
|--------------------------------------------------|--------------|
| Without brake control                            | SU000600055  |
| With 1-axis or 2-axis brake control              | SU000600057  |

|                                                      |             |
|------------------------------------------------------|-------------|
| Optional 200 mm / 7.87" spacer for horizontal handle | SU000600058 |
|------------------------------------------------------|-------------|

| Technical information: vertical control handle | Order number |
|------------------------------------------------|--------------|
| Without brake control                          | SU000600062  |
| With 1-axis or 2-axis brake control            | SU000600064  |

Shelf handle



Features

- Directly mounted on shelves to save space
- Various options for brake control

| Technical information                                                                                        | Order number               |
|--------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>Without brake control for height adjustment</b><br>W = 485 mm / 19.0"<br>W = 685 mm / 27.0"               | SU000600067<br>SU000300042 |
| <b>With 1-axis or 2-axis brake control for height adjustment</b><br>W = 485 mm / 19.0"<br>W = 685 mm / 27.0" | SU000600069<br>SU000300044 |
| <b>With 1-axis or 2-axis brake control for standard rotation</b><br>W = 485 mm / 19.0"<br>W = 685 mm / 27.0" | SU000600066<br>SU000300041 |

Ceiling supply unit  
control device



Features

- Wired control device with an electrical clamp
- Maneuvers the ceiling supply unit up and down
- Clamp can be mounted on EPoS System

| Technical information                         | Order number |
|-----------------------------------------------|--------------|
| For Energy and Cargolift Ceiling Supply Units | SU000600070  |

To hold  
– Maquet Moduevo accessories

A key attraction of ceiling supply units, including Maquet Moduevo, is that a variety of equipment can be added to a central, easily moved station.

The low voltage power supplied by the EPoS System paired with a broad portfolio of accessories mean hospital staff can quickly and flexibly configure the ideal environment for their task at hand.

With this in mind, the to hold category comprises the largest range of accessories for Maquet Moduevo: shelves, drawers and cabinet units, flat screen monitor arms, rails, infusion equipment, plus adapters and docking systems. They all play a key role in ensuring critical equipment is readily accessible whenever it is required.





# Shelves

Shelves are seemingly simple, yet fulfill an important purpose by ensuring critical equipment is on hand for direct access and use. By organizing items and cutting out clutter, they make better use of space, and enhance efficiency.

Moreover, they feature high load capacity and are exceptionally durable. Shelves for Maquet Moduevo Units can be attached to EPoS System via mechanical or electric clamps – the latter maintains a low-voltage power connection.



## Shelf with mechanical clamp and two rails



### Features

- Available in three sizes, compatible with the shelf extension
- Load capacity: 30 kg / 66 lbs with single clamp, 50 kg / 110.2 lbs with two clamps
- Two side rails (25 x 10 mm / 0.98" x 0.39"); load capacity: 10 kg / 22 lbs each
- Optional mechanical handle
- All single clamp shelves can be upgraded to double clamp shelves and vice versa



| Technical information                                                                                                                                                                     | Order number                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>With single clamp and no handle for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"                                             | SU000600083<br>SU000600085                |
| <b>With single clamp and mechanical handle for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"                                     | SU000600088<br>SU000600092                |
| <b>With double clamps and no handle for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"<br>W x D = 885 mm x 450 mm / 34.9" x 17.7" | SU000600084<br>SU000600086<br>SU000600087 |
| <b>With double clamps and mechanical handle for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"                                    | SU000600089<br>SU000600093                |
| <b>With double clamps and no handle for racks</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"<br>W x D = 885 mm x 450 mm / 34.9" x 17.7"        | SU000300066<br>SU000300069<br>SU000300072 |



## Shelf with handle and single electrical clamp



|                                                                                                                                                                                            |                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>With double clamps and mechanical handle for racks</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"<br>W x D = 885 mm x 450 mm / 34.9" x 17.7" | SU000300067<br>SU000300070<br>SU000300073 |
| Single mechanical shelf clamp for upgrade (right side)                                                                                                                                     | SU000600104                               |
| Double clamp shelf spacer 75 mm / 2.95", 50 kg / 110.2 lbs loading                                                                                                                         | SU000600105                               |
| Single clamp shelf spacer 75 mm / 2.95", 30 kg / 66 lbs loading                                                                                                                            | SU000600130                               |
| <b>With single mechanical clamp and 2 rails*</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                                               | SU000600194<br>SU000600195                |
| <b>With double mechanical clamp and 2 rails*</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                                               | SU000600200<br>SU000600201                |
| <b>With single mechanical clamp, 2 rails* and a mechanical handle</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                          | SU000600196<br>SU000600197                |
| <b>With double mechanical clamp, 2 rails* and a mechanical handle</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                          | SU000600202<br>SU000600203                |
| <b>With single mechanical clamp, 2 rails and a control handle*</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                             | SU000600198<br>SU000600199                |
| <b>With double mechanical clamp, 2 rails and a control handle*</b><br>W x D = 485 x 450 mm / 19" x 17.7"<br>W x D = 685 x 450 mm / 27" x 17.7"                                             | SU000600204<br>SU000600205                |

\*only available on Moduevo Bridge

### Features

- Available in two sizes
- Compatible with the shelf extension
- Load capacity (with single clamp): 30 kg / 66 lbs
- Load capacity (with two clamps): 50 kg / 110.2 lbs
- Two side rails (25 mm x 10 mm / 0.98" x 0.39"); load capacity: 10 kg / 22 lbs each
- Optional Grab & Move Handle for easy one-handed positioning

| Technical information                                                                                                                                                                                           | Order number                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>With single electrical clamp and two rails for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"                                                        | SU000600090<br>SU000600094                |
| <b>With one electrical clamp, one mechanical clamp and two rails for distributors</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"                                     | SU000600091<br>SU000600095                |
| <b>With one electrical clamp, one mechanical clamp and two rails for racks</b><br>W x D = 485 mm x 450 mm / 19.0" x 17.7"<br>W x D = 685 mm x 450 mm / 27.0" x 17.7"<br>W x D = 885 mm x 450 mm / 34.9" x 17.7" | SU000300068<br>SU000300071<br>SU000300074 |

Sliding keyboard shelf



Features

- Smart storage for keyboards; folds away when not in use
- Load capacity: 5 kg/11 lbs

| Technical information                   | Order number |
|-----------------------------------------|--------------|
| W x D = 485 mm x 450 mm / 19.0" x 17.7" | SU000600100  |

Shelf extension



Features

- No need for special tools, simple installation of extension plates onto side rails
- Provides more space on the shelf to accommodate larger or additional equipment
- Compatible with all shelves

| Technical information                        | Order number |
|----------------------------------------------|--------------|
| 100 mm / 3.94" wide for each extension plate | SU000600101  |

Anti-sliding bars



Features

- Available in three sizes
- Secures the positioning of devices and accessories on Moduevo shelves

| Technical information         | Order number |
|-------------------------------|--------------|
| For shelf 485 mm / 19.0" wide | SU000600151  |
| For shelf 685 mm / 27.0" wide | SU000600152  |
| For shelf 885 mm / 34.9" wide | SU000600153  |

Swivel shelf



Features


- Rotary arm allows shelf to be extended outwards
- Range of movement can be further increased by means of the optional double-articulation arm
- Smart storage: shelf can be folded away when not in use

| Technical information                                                | Order number |
|----------------------------------------------------------------------|--------------|
| W x D = 400 mm x 360 mm / 15.7" x 14.2", load capacity: 15 kg/33 lbs |              |
| Single arm (L = 200 mm / 7.9")                                       | SU000600033  |
| Double arm (L = 300 mm + 300 mm / 11.8" + 11.8")                     | SU000600034  |

# Cabinets and drawer units

Drawers can hold a variety of essential items, making them useful across a range of medical disciplines and healthcare environments. Various cabinet units with one or two drawers can be easily mounted onto the ceiling supply unit's EPoS System.

They come with an in-drawer light as standard, helping hospital staff locate instruments and materials safely and efficiently in dark environments.



Cabinet unit with one drawer



Features

- Available in two sizes
- Can be mounted below any type of shelf
- Total load capacity: 10 kg / 22 lbs
- Depth: 100 mm / 3.9"
- In-drawer ambient light
- Optional drawer lock (SU000600102)
- Detachable and interchangeable, facilitating the transfer of contents between stations and rooms

| Technical information                                       | Order number |
|-------------------------------------------------------------|--------------|
| W x D x H = 485 mm x 330 mm x 100 mm / 19.0" x 13.0" x 3.9" | SU000600096  |
| W x D x H = 685 mm x 330 mm x 100 mm / 27.0" x 13.0" x 3.9" | SU000600097  |
| W x D x H = 423 x 330 x 120 mm / 17" x 13" x 4.7" *         | SU000600192  |
| W x D x H = 623 x 330 x 120 mm / 25" x 13 x 4.7" *          | SU000600210  |

Cabinet unit with two drawers



| Technical information                                                  | Order number |
|------------------------------------------------------------------------|--------------|
| W x D x H = 485 mm x 330 mm x 100 mm / 19.0" x 13.0" x 3.9" (per unit) | SU000600098  |
| W x D x H = 685 mm x 330 mm x 100 mm / 27.0" x 13.0" x 3.9" (per unit) | SU000600099  |
| W x D x H = 423 x 330 x 120 mm / 17" x 13" x 4.7" *                    | SU000600193  |
| W x D x H = 623 x 330 x 120 mm / 25" x 13 x 4.7" *                     | SU000600211  |

*\*only available on Moduevo Bridge*

Cabinet unit  
with one high drawer



Features

- Available in two sizes
- Can be mounted below any type of shelf
- Total loading capacity: 10 kg / 22 lbs
- Depth: 250 mm / 9.8"
- In-drawer ambient light
- Optional drawer lock (SU000600102)
- Detachable and interchangeable, facilitating the transfer of contents between stations and rooms

| Technical information                                       | Order number |
|-------------------------------------------------------------|--------------|
| W x D x H = 485 mm x 330 mm x 250 mm / 19.0" x 13.0" x 9.8" | SU000600149  |
| W x D x H = 685 mm x 330 mm x 250 mm / 27.0" x 13.0" x 9.8" | SU000600150  |

Cabinet unit  
with drawer and e-lock



Features

- Prevent unauthorized access to objects stored in the drawer
- RFID technology
- Powered by EPoS with 24 V DC
- The authorization of user cards can be programed
- Compatible with customers' RFID cards with transmission frequency of 13.56 MHz
- Compatible with Moduevo shelves (width of 485 mm / 19.0") with electrical clamp
- Depth: 100 mm / 3.9"
- In-drawer ambient light

| Technical information                           | Order number |
|-------------------------------------------------|--------------|
| Single drawer with e-lock – 485 mm / 19.0"      | SU000600155  |
| Double drawer with one e-lock – 485 mm / 19.0"  | SU000600156  |
| Double drawer with two e-locks – 485 mm / 19.0" | SU000600157  |
| Electrical lock card                            | SU000600154  |

# Flat screen monitor arms

In ORs, ICUs and beyond, flat screen monitors provide critical information and visuals at a glance. Maquet Moduevo's range of monitor arms, or holders, enables displays to be moved and tilted – so they are always clearly visible, and exactly where they are required.

Moreover, the arms feature a sleek design, and are easy to adjust – for smaller screens up to larger, 14 kg / 30.9 lbs monitors. Their wide range of movement contributes to an ergonomic working environment.



Flat screen monitor holder



Features

- Holds flat screen with VESA 75/100 adaptor

| Technical information  | Order number |
|------------------------|--------------|
| Simple holder for EPoS | SU001900050  |

Tilt and rotation  
monitor holder



Features

- Holds flat screen with VESA 75/100 adaptor
- Load capacity: 14 kg / 30.9 lbs

| Technical information | Order number |
|-----------------------|--------------|
| L = 100 mm / 3.94"    | SU000600018  |



Fixed-height single arm monitor holder



Features

- Available in two lengths
- Includes swivel arm and tiltable screen holder
- 180° side-to-side rotation
- Load capacity: 14 kg / 30.9 lbs
- VESA 75/100 adaptor included
- Cables are routed through the arm to guarantee a safe and hygienic workplace

| Technical information | Order number |
|-----------------------|--------------|
| L = 300 mm / 11.8"    | SU000600019  |
| L = 400 mm / 15.7"    | SU000600020  |

Fixed-height double arm monitor holder



Features

- Available in three lengths
- Includes swivel arm and tiltable screen holder
- 180° side-to-side rotation
- Load capacity: 14 kg / 30.9 lbs
- VESA 75/100 adaptor included
- Cables are routed through the arm to guarantee a safe and hygienic workplace

| Technical information               | Order number |
|-------------------------------------|--------------|
| L = 300 mm + 300 mm / 11.8" + 11.8" | SU000600021  |
| L = 400 mm + 300 mm / 15.7" + 11.8" | SU000600022  |
| L = 400 mm + 400 mm / 15.7" + 15.7" | SU000600023  |

Height-adjustable monitor holder



Features

- Choice of single- or double-articulation arm
- Depth, angle and height adjustable
- Side-to-side rotation
- Vertical adjustment
- Compatible with monitors up to 14 kg / 30.9 lbs
- Range of movement: 700 mm / 27.5"
- VESA 75/100 adaptor

| Technical information               | Order number |
|-------------------------------------|--------------|
| L = 300 mm / 11.8"                  | SU000600024  |
| L = 400 mm + 300 mm / 15.7" + 11.8" | SU000600025  |

Keyboard holder



Features

- Easy to install and use
- Equipped with mouse pad
- Load capacity: 5 kg / 11 lbs

| Technical information | Order number |
|-----------------------|--------------|
| Keyboard holder       | SU000600026  |

Down post for monitor arms



Features

- For monitors mounted on non-height-adjustable and/or height-adjustable monitor holders

| Technical information                                        | Order number |
|--------------------------------------------------------------|--------------|
| For non-height-adjustable monitor holder (L = 196 mm / 7.7") | SU000600027  |
| For height-adjustable monitor holder (L = 196 mm / 7.7")     | SU000600028  |
| Universal adapter (load capacity: 14 kg / 30.9 lbs)          | SU000600029  |

# Rails

Rail systems for Maquet Moduevo Ceiling Supply Units can be easily installed on the EPoS System – there is no need for specialized tools.

These rails are available in a number of lengths and clamps, meaning they can be employed for various Maquet Moduevo Distributors. They allow diverse devices and accessories, such as baskets, flow meters and glove boxes to be mounted on the units, increasing their versatility and saving space.



## Standard rail



### Features

- Available in four sizes for various panels and Maquet Moduevo Distributors
- Simple installation on EPoS System
- Load capacity: 30 kg / 66 lbs

| Technical information                                                                     | Order number |
|-------------------------------------------------------------------------------------------|--------------|
| 200 mm / 7.9" with single mechanical clamp                                                | SU000600008  |
| 400 mm / 15.8" with single mechanical clamp                                               | SU000600009  |
| 400 mm / 15.8" with double mechanical clamp for back of Mezzo Distributors                | SU000600010  |
| 400 mm / 15.8" with double mechanical clamp for front of Slim / Mezzo / Twin Distributors | SU000600011  |

## Wrap-around rail



### Features

- Improves efficiency by enabling staff to attach equipment anywhere around the distributor
- Available in three sizes for various types of distributors
- Load capacity: 15 kg / 33 lbs

| Technical information | Order number |
|-----------------------|--------------|
| For Slim Distributor  | SU000600129  |
| For Mezzo Distributor | SU000600016  |
| For Twin Distributor  | SU000600015  |

## Half-wrap rail



### Features

- Improves efficiency by enabling staff to attach equipment across half of the distributor
- Available in two sizes for various types of distributors
- Load capacity: 15 kg / 33 lbs

| Technical information | Order number |
|-----------------------|--------------|
| For Twin Distributor  | SU000600013  |
| For Mezzo Distributor | SU000600014  |

## Swivel rail



### Features

- Extendible for broader range of movement
- Can be folded away when not in use
- Simple installation without specialized tools
- Load capacity: 3 kg / 6.6 lbs

| Technical information                 | Order number |
|---------------------------------------|--------------|
| Swivel rail (max. L = 390 mm / 15.4") | SU000600012  |

# Infusion equipment

Infusions are part and parcel of healthcare – so making them more efficient can have a significant overall impact.

Maquet Moduevo IV Poles can accommodate up to 50 kg /110 lbs of infusion pumps, bags and more. Plus, the pole height and position of the arm attached to the ceiling supply unit can be adjusted and securely locked in place. And the Maquet M-Shift IV Transfer System enables IV equipment to be moved quickly yet safely, easing nurses’ workloads.



## Standard IV pole



### Features

- Flexible solution – various ranges of movement with single- or double-articulation arms; arms are rotary
- Each arm can be locked into position thanks to the smart and ergonomic “one-finger knob”
- Simple installation on EPoS System

| Technical information: standard IV pole                                                                            | Order number |
|--------------------------------------------------------------------------------------------------------------------|--------------|
| One standard IV pole with four hooks in a straight line, Ø 25 mm /1.0", single clamp, load capacity: 20 kg /44 lbs |              |
| Single-articulation arm (L = 180 mm /7.1")                                                                         | SU000600001  |
| Double-articulation arm (L = 180 mm + 180 mm /7.1" + 7.1")                                                         | SU000600002  |
| Single-articulation arm (L = 300 mm /11.8")                                                                        | SU000600141  |
| Double-articulation arms (L = 300 mm + 300 mm /11.8" + 11.8")                                                      | SU000600142  |
| With optional IV pole                                                                                              | SU000600007  |

## Height-adjustable IV pole



### Features

- Flexible solution – various ranges of movement with single- or double-articulation arms; arms are rotary
- Each arm can be locked into position thanks to the smart and ergonomic “one-finger knob”
- Simple installation on EPoS System
- Pole height can be easily adjusted and locked in place

| Technical information: height-adjustable IV pole                                                                      | Order number |
|-----------------------------------------------------------------------------------------------------------------------|--------------|
| One height-adjustable IV pole with four hooks in a cluster, Ø 25 mm /1.0", single clamp, load capacity: 20 kg /44 lbs |              |
| Single-articulation arm (L = 180 mm /7.1")                                                                            | SU000600003  |
| Double-articulation arm (L = 180 mm + 180 mm /7.1" + 7.1")                                                            | SU000600004  |
| Single-articulation arm (L = 300 mm /11.8")                                                                           | SU000600143  |
| Double-articulation arm (L = 300 mm + 300 mm /11.8" + 11.8")                                                          | SU000600144  |
| With optional IV pole                                                                                                 | SU000600007  |

## Strong IV pole



### Features

- Pair of arms mounted on EPoS
- Flexible solution – various ranges of movement with single- or double-articulation arms; arms are rotary
- High load capacity

| Technical information                                                                                              | Order number |
|--------------------------------------------------------------------------------------------------------------------|--------------|
| One strong IV pole with four hooks in a straight line, Ø 25 mm /1.0", double clamps, load capacity: 50 kg /110 lbs |              |
| Pair of single-articulation arms (L = 180 mm /7.1"), 50 kg /110 lbs                                                | SU000600005  |
| Pair of double-articulation arms (L = 180 mm + 180 mm /7.1" + 7.1"), 50 kg /110 lbs                                | SU000600006  |
| Single-articulation arm (L = 300 mm /11.8"), 40 kg /88 lbs                                                         | SU000600145  |
| Pair of double-articulation arms (L = 300 mm + 300 mm /11.8" + 11.8"), 50 kg /110 lbs                              | SU000600146  |



Maquet M-Shift



Features

- Flexible infusion transfer system: two angle- and height-adjustable IV poles
- Net load capacity of 50 kg / 110 lbs for pumps and bags
- Small footprint – easy to fit into elevators
- Only one nurse is needed to safely transfer the infusion system from ceiling supply unit to bed and vice versa

| Technical information                                                                                                                            | Order number |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Maquet M-Shift                                                                                                                                   | SU0005990010 |
| M-Shift Bed interface set, connects M-Shift with Arjohuntleigh Enterprise ICU Bed, includes bed pole and adaptor E                               | SU0005990013 |
| M-Shift bed interface set, connects M-Shift with Hillrom Totalcare ICU bed, includes bed pole and adaptor T                                      | SU0005060009 |
| Adaptor T, for Hillrom Totalcare ICU bed, to hold docking pole                                                                                   | SU0005060008 |
| Adaptor E for ArjoHuntleigh ICU Bed to hold docking pole                                                                                         | SU0005060002 |
| Bed pole, can be combined with Maquet M-Shift; includes stopper; requires bed adaptor                                                            | SU0005060005 |
| Maquet M-Shift Trolley to carry Maquet M-Shift Clamp System; includes trolley, one standard rail, one basket, one bed pole, one cable management | SU0005060006 |

Maquet M-Shift Docking System



Features

- Enables Maquet M-Shift Docking Pole to be fixed to Maquet Moduevo Ceiling Supply Units

| Technical information                                                                                               | Order number |
|---------------------------------------------------------------------------------------------------------------------|--------------|
| Adaptor for ArjoHuntleigh, Hillroom, subject to bed compatibility validation. Includes bed adaptor and docking pole |              |
| Docking pole for Maquet Moduevo 800 Modules                                                                         | SU000600032  |



# Adaptors /docking equipment

## GCX Adaptor



### Features

- Accommodates GCX® accessories on the EPoS System

| Technical information                                                 | Order number |
|-----------------------------------------------------------------------|--------------|
| Adaptor for GCX Monitor Holders<br>(loading capacity: 14 kg / 30 lbs) | SU000600031  |
| Elongated GCX Adaptor on EPoS<br>(loading capacity: 20 kg / 44 lbs)   | SU000600128  |
| Adaptor on suspension tube<br>for monitor arm and GCX Adaptor         | SU000600030  |

## Beam Plus Adaptor



### Features

- Integrated adaptor installed below the primary ceiling supply unit axis
- Used to mount examination lights, surgical lights, and monitor or camera holders
- Adaptor and ceiling supply unit beam rotate independently

| Technical information                                                                                                                                                                                                              | Order number               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>For surgical lights Maquet Lucea 40/50/100, Maquet Volista Access II 400 and Maquet Ezea 300</b><br>For anchor I<br>For anchor II                                                                                               | SU000300046<br>SU000900010 |
| <b>For surgical light Maquet Lucea 50/100, screen holders EQTFHS010 SAT12/13, EQTMHD231 SAT12/13, EQTFHS019 SATX 13, EQTMHS019 SATX 13, EQTXHS016 SATX 13, EQTXHS021 SATX 13, EQTSC05 SATX 13</b><br>For anchor I<br>For anchor II | SU000300047<br>SU000900011 |
| BPA reservation                                                                                                                                                                                                                    | SU000900014                |

## Bridge Plus Adaptor



### Features

- Integrated adaptor installed above Bridge classic or advance beam
- Used to mount OR and examination lights

| Technical information                                                                                                     | Order number |
|---------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>For OR lights Maquet Lucea 50 /100</b><br>Bridge Plus SAT                                                              | SU000200078  |
| <b>For surgical lights Maquet Lucea 40/50/100, Maquet Volista Access II 400/600 and Maquet Ezea 300</b><br>Bridge Plus SB | SU000200079  |

## Anesthesia docking system



### Features

- Docking system for anesthesia machines; designed to streamline workflows and improve safety
- High load capacity; can accommodate diverse anesthesia machines

| Technical information                                                                                                              | Order number |
|------------------------------------------------------------------------------------------------------------------------------------|--------------|
| For anesthesia machines and MIS Trolley on Energy, only compatible with Twin 406 / 606 / 806, loading capacity: 180 kg / 396.8 lbs | SU000300026  |

## Ventilator docking holder



### Features

- Docking holder for Getinge ventilators
- Designed to streamline workflows and improve safety

| Technical information                                                                                    | Order number |
|----------------------------------------------------------------------------------------------------------|--------------|
| For mounting Servo-u/-n Ventilators with bed / pendant bracket on EPoS, loading capacity: 30 kg / 66 lbs | SU000600132  |

Gas cylinder holder



Features

- Docking holder for gas cylinders
- Flexible design of support plate at bottom fits cylinders with a diameter from 100 mm to 180 mm / 3.9" to 7.1"
- Basic holder for gas cylinders no higher than 450 mm / 17.7"
- Support clamp adds stability for gas cylinders with height from 450 mm to 865 mm / 17.7" to 34.1"
- Loading capacity: 30 kg/ 66 lbs

| Technical information               | Order number |
|-------------------------------------|--------------|
| Basic gas cylinder holder           | SU000600147  |
| Support clamp for high gas cylinder | SU000600148  |

OR tables charging base solutions



Features

- Charging base for Getinge Operating Table Hand Control (1009.25A0) that can be continuously powered by EPoS with 24 V DC
- Compact design
- Compatible with Maquet Otesus, Maquet Meera and Maquet Corin Operating Tables

| Technical information                                | Order number |
|------------------------------------------------------|--------------|
| Operating table remote control charging base on EPoS | SU000600131  |

To illuminate  
– Maquet Moduevo accessories

Better visibility is key to better working environments and streamlined tasks. A soft glow contributes to a soothing atmosphere for convalescing patients, and supports natural circadian cycles.

Meanwhile, staff can locate items, complete tasks and continue treatment without disruption. Against this backdrop, a system of ambient lights for Maquet Moduevo enhances efficiency by effectively illuminating dark ORs and ICUs. This category comprises a range of ambient lights that can be used with various beams and Maquet Moduevo Distributors – and be placed on the top, bottom or side of the ceiling supply unit to eliminate shadows.



Lighting solutions

Special ambient lighting does away with harsh glare and shadows. Instead, the soft illumination creates a soothing environment ideal for resting patients – without compromising visibility for staff as they go about their tasks.

The lights are positioned on top of the ceiling supply unit beam, on the distributor’s sides, and at the bottom of the ceiling supply unit, for optimal results and improved safety.

Features

- For all types of ambient lights; just one dimmer control (SU000400001) is required, and can be used to control all lights
- Certain ceiling supply units might not allow all the light placement options – please consult your Getinge representative for advice
- Brightness can be adjusted from 100% to 16% to meet specific needs

| Technical information                                     | Order number |
|-----------------------------------------------------------|--------------|
| Top illumination for upper beam                           | SU000600076  |
| Side illumination for Slim and Mezzo Distributors         | SU000600077  |
| Side illumination for Twin Distributors                   | SU000600078  |
| Bottom illumination for Slim, Mezzo and Twin Distributors | SU000600081  |
| Bottom illumination for Sky Distributors                  | SU000300053  |
| Bottom illumination for Moduevo Screen                    | SU001900013  |



Somnus Carrier  
Lighting solutions



Features

- Simulating daylight and colorful tone for ICUs with regular pendants
- Installation under mechanical or Energy beam at axis I
- Integrated with RGB light
- Up to 6 colors (white, orange, green, blue, purple and turquoise)
- The illumination and color of simulated daylight adhere to the CS curve recommendations from the Lighting Research Center (**learn more**)

| Technical information                                                                               | Order number |
|-----------------------------------------------------------------------------------------------------|--------------|
| Somnus and color ambient light for Moduevo pendants                                                 | SU000900025  |
| Premium dimmer control for Moduevo pendants with Mezzo or Sky distributors                          | SU000900026  |
| Wall mounted premium dimmer control for Moduevo pendants                                            | SU000900027  |
| A pair of premium dimmer controls on Moduevo pendants with Mezzo or Sky distributor and on the wall | SU000900028  |

Moduevo Bridge  
Lighting solutions



Features

- Various regular lighting solutions on Moduevo Bridge, offering soft illumination for better working atmosphere
- Reading / task light provides two different modes with illumination level less than 500 lux for the reading and 5,000 lux for the task light
- Somnus Light provides innovative daylight simulation and with the same optical system it provides also ambient light with six different colors
- The illumination and color of simulated daylight adhere to the CS curve recommendations from the Lighting Research Center (**learn more**)

| Technical information                                         | Order number |
|---------------------------------------------------------------|--------------|
| Night light                                                   | SU000400085  |
| Reading / task light                                          | SU000400084  |
| Side illumination for Slim and Mezzo Distributors on Bridge   | SU000400086  |
| Bottom illumination for Slim and Mezzo Distributors on Bridge | SU000400087  |
| Bottom illumination for Sky Distributors on Bridge            | SU000300086  |
| Somnus and colored ambient lights on Bridge horizontal beam   | SU000400088  |

Lighting control

Features

- Touch panel
- Smooth illumination adjustment
- Hygienic design for easy cleaning
- Flexible solution enables users to control ambient lights from either the pendant or the wall



| Technical information                                        | Order number |
|--------------------------------------------------------------|--------------|
| <b>Ambient light dimmer controls for regular Moduevo CSU</b> |              |
| Dimmer control on distributors                               | SU000400001  |
| Dimmer control on Sky classic and PLG-II Sky                 | SU000300076  |
| A pair of dimmer controls on distributors and on the wall    | SU001900014  |



|                                                             |             |
|-------------------------------------------------------------|-------------|
| <b>Ambient light dimmer controls for Moduevo Bridge</b>     |             |
| Basic dimmer control for Bridge                             | SU000400089 |
| Premium dimmer control for Bridge                           | SU000400090 |
| Wall mounted basic dimmer control for Bridge                | SU000400091 |
| Wall mounted premium dimmer control for Bridge              | SU000400092 |
| A pair of basic dimmer controls on Bridge and on the wall   | SU000400094 |
| A pair of premium dimmer controls on Bridge and on the wall | SU000400095 |

Lighting control



Features

- Simplified ambient light switch for regular pendants
- on/off
- only for regular Moduevo CSU
- Easy to use
- All ambient lights on the same pendant are synchronized

| Technical information                      | Order number |
|--------------------------------------------|--------------|
| Quick switch on distributors               | SU000900034  |
| Quick switch on Sky classic and PLG-II Sky | SU000900035  |

# To store

– Maquet Moduevo accessories

The storage category of Maquet Moduevo accessories is dedicated to simple, yet effective solutions for managing cables, and storing documents, gloves, equipment such as catheters, and more.

In line with the general philosophy behind ceiling supply units, items are kept off the ground. This improves access to the patients – and creates a safer and more hygienic workplace for staff.

And this degree of organization has additional benefits. Because every item has its place, staff know exactly where to find what they are looking for. This makes for more efficient workflows, and allows healthcare professionals to turn their attention to more important matters.



# Cable management solutions

Conventional ORs and ICUs might have several gas tubes and electric cables snaking across the floor. Not only do these exposed wires add to the surface area that has to be disinfected – they are also tripping hazards.

This is where Maquet Moduevo Ceiling Supply Units come into play: by incorporating smart cable management solutions, they keep tubes off the floor – for cleaner, safer healthcare environments.



## Cable winding wheel



### Features

- Cable management provides protection from dust, simplifying cleaning and contributing to a hygienic environment
- Cables can be stored in a tidy, organized way
- Four options available; to be mounted on EPoS, below shelves, and using a small hook

| Technical information                 | Order number |
|---------------------------------------|--------------|
| Cable winding wheel with clamp        | SU000600035  |
| Cable winding wheel for below shelves | SU000600103  |

## Cable holders



### Features

- Ideal solution for gas tubes and electrical cords
- Improves hygiene and safety

| Technical information                   | Order number |
|-----------------------------------------|--------------|
| Rack cable holder, set of 5 units       | SU000300065  |
| Cable holder for rails, set of 10 units | SU000600017  |

## Cable box



### Features

- Ideal solution for gas tubes and electrical cords
- Improves hygiene and safety

| Technical information                                | Order number |
|------------------------------------------------------|--------------|
| For installation on open channel of Twin Distributor | SU000600036  |



# Baskets /catheter holders

Storage baskets come in a variety of shapes and sizes. There are, for example, multiple options for holding catheters, important documents, gloves and more – ensuring these items are organized and easy to find. The baskets can be hooked or installed directly onto rails, and are made from hygienic stainless steel.



## Catheter holder



### Features

- Simple installation: two hooks for attachment onto rails
- Hygienic: stainless steel

#### Technical information

H = 500 mm / 19.7"

#### Order number

ARD513768999

## Small basket



### Features

- Simple installation: two hooks for attachment onto rails
- Hygiene: stainless steel

#### Technical information

W x D x H = 170 mm x 130 mm x 85 mm / 6.7" x 5.12" x 3.35"

#### Order number

SU000600126

## Catheter holder



### Features

- Basket for catheter, available in two sizes
- Hygiene: stainless steel

#### Technical information

Small: W x D x H = 90 mm x 90 mm x 350 mm / 3.54" x 3.54" x 13.8"

Large: W x D x H = 150 mm x 100 mm x 480 mm / 5.9" x 3.9" x 18.9"

#### Order number

SU000600125

SU0005990000

## Wire cylinder holder



### Features

- Jar holder
- Simple installation: direct attachment onto rail
- Hygiene: stainless steel

#### Technical information

Ø 110 mm / 4.3"

#### Order number

ARD513769999

## Wire document holder



### Features

- Simple installation: direct attachment onto rail
- Hygiene: stainless steel

#### Technical information

Wire document holder

#### Order number

ARD686400051

## Bag holder



### Features

- Simple installation
- Hygiene: stainless steel

#### Technical information

W x D = 250 mm x 170 mm / 9.9" x 6.7"

#### Order number

ARD517052914

Gloves holder



Features

- Simple installation: direct attachment onto rail
- Hygiene: stainless steel

| Technical information | Order number |
|-----------------------|--------------|
| H = 200 mm / 7.9"     | ARD513766999 |

# Easy clamp holders

In clinical environment, small equipment needs to be placed close to patients to streamline clinical workflows.

Easy clamp holders, based on snap action clamps, can be quickly attached to or detached from standard DIN rail without any tool, thus can easily meet unique needs for well organization of equipment and bedside space management.



Glove box holder



Features

- Simple installation on DIN rail with easy clamp
- Hygiene: stainless steel

| Technical information                                      | Order number |
|------------------------------------------------------------|--------------|
| W x D x H = 135 mm x 110 mm x 264 mm / 5.3" x 4.3" x 10.4" | SU000600136  |

Ambu-bag / resuscitator holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                | Order number |
|--------------------------------------|--------------|
| For mounting ambu-bag / resuscitator | SU000600134  |

Flexible wipes canister holder



Features

- Simple installation on DIN rail with easy clamp
- Flexible design for wipes canisters with different diameters

| Technical information                                                          | Order number |
|--------------------------------------------------------------------------------|--------------|
| For mounting wipes canisters with diameter from 98 mm to 150 mm / 3.8" to 5.9" | SU000600133  |

Scanner holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                                             | Order number |
|-------------------------------------------------------------------|--------------|
| Inner dimension W x D x H = 80 x 102 x 50 mm / 3.1" x 4.0" x 2.0" | SU000600138  |

Welch Allyn Aneroid Holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                       | Order number |
|---------------------------------------------|--------------|
| For mounting Welch Allyn 767 Series Aneroid | SU000600137  |

Welch Allyn Ophthalmoscope Holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                                    | Order number |
|----------------------------------------------------------|--------------|
| For mounting Welch Allyn Green Series 777 Ophthalmoscope | SU000600139  |

Welch Allyn Ophthalmoscope Tip Container Holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                                 | Order number |
|-------------------------------------------------------|--------------|
| For mounting Welch Allyn Ophthalmoscope Tip Container | SU000600135  |

Welch Allyn Thermometer Holder



Features

- Simple installation on DIN rail with easy clamp

| Technical information                                   | Order number |
|---------------------------------------------------------|--------------|
| For mounting Welch Allyn Suretemp 690 / 692 Thermometer | SU000600140  |





This information is intended for an international audience outside the US.

This information is aimed exclusively at healthcare professionals or other professional audiences and are for informational purposes only, is not exhaustive and therefore should not be relied upon as a replacement of the Instructions for Use, service manual or medical advice. Getinge shall bear no responsibility or liability for any action or omission of any party based upon this material, and reliance is solely at the user's risk.

Any therapy, solution or product mentioned might not be available or allowed in your country. Information may not be copied or used, in whole or in part, without written permission by Getinge.

Manufacturer: Maquet (Suzhou) Co., Ltd. - No.158  
Fangzhou Road · Suzhou Industrial Park · 215024  
Suzhou · China · +86 (0) 512 62839880

© 2025 Getinge | Getinge and GETINGE ✱ are trademarks or registered trademarks of Getinge AB, its subsidiaries or affiliates.  
DMS-0004652 v2 | All rights reserved.